

Safety Data Sheet

According to Regulation (EC) No. 1907/2006
 OSHA Regulation 29 CFR 1910.1200
 Canadian Regulation SOR/88-66

Revision Date: 2013-01-22
Reason for Revision: Regulation (EC) No. 1272/2008 Compliance

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: Chlorine Reagent 2
Application: Determination of Chlorine in Water Samples
Company Information (USA): Hanna Instruments, Inc.
 584 Park East Dr, Woonsocket, Rhode Island, USA 02895
Technical Service Contact Information: 1-800-426-6287 (8:30AM - 5:00PM ET)
 +1-401-766-4260 (8:30AM - 5:00PM ET)
USA Emergency Contact Information: 1-800-424-9300 (Chemtrec 24Hr. Emergency)
International Emergency Contact Information: +1-703-527-3887 (Chemtrec 24Hr. Emergency)
E-mail Address: tech@hannainst.com

Additional Product Codes: HI 3829, HI 3831, HI 3887, HI 3888

SECTION 2: HAZARD IDENTIFICATION

Causes severe skin burns and eye damage.

According to Regulation (EC) No. 1272/2008:

Classification: Skin Corrosion (Category 1A)

Signal Word: **Danger**

Pictograms:



Hazard Statements: H314: Causes severe skin burns and eye damage.

Precaution Statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

According to Directives 67/548/EEC and 1999/45/EC:

Symbol: C: Corrosive

R-phrases: 35: Causes severe burns.

S-phrases: 26-30-36/37/39-45: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Never add water to this product. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).

SECTION 3: COMPOSITION AND COMPONENT INFORMATION

Component:	EC No:	CAS No:	Hazard Class:	Phrases:	Concentration:
Sulphuric acid	231-639-5	7664-93-9	Skin Corr. 1A C	H314 R: 35	> 15% - < 51%
N,N-Diethyl-1,4-phenylenediammonium sulfate	228-500-6	6283-63-2	Acute Tox. 4 Xn	H302, H312 R: 21/22	> 1% - < 3%

SECTION 4: FIRST AID MEASURES

After Inhalation: Remove to fresh air. Summon doctor.

After Skin Contact: Wash affected area with plenty of water. Immediately remove contaminated clothing.

After Eye Contact: Rinse out immediately with plenty of water and seek medical advise.

After Swallowing: Drink plenty of water (if necessary several liters), avoid vomiting (risk of perforation!). Immediately seek medical advice. Do not attempt to neutralize.

General Information: Remove contaminated, soaked clothing immediately and dispose of safely.

Safety Data Sheet

According to Regulation (EC) No. 1907/2006
 OSHA Regulation 29 CFR 1910.1200
 Canadian Regulation SOR/88-66

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.

Special Risks:

Hydrogen may form upon contact with metals (danger of explosion!). Development of hazardous combustion gases or vapors possible in the event of fire. The following may develop in event of fire: Sulfur Oxides, Hydrogen Sulfide Gas

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Product itself is non-combustible. Cool container with spray water from a safe distance. Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or groundwater.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Do not inhale vapors/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms.

Environmental Precautions:

Do not discharge into the drains/surface waters/groundwater.

Additional Notes:

Render harmless: neutralize with baking soda (sodium bicarbonate) or by throwing on lime, lime sand, or sodium carbonate.

SECTION 7: HANDLING AND STORAGE

Handling:

Avoid generation of vapors/aerosols. Work under hood. Do not inhale substance.

Storage:

Tightly closed. In a well-ventilated place at room temperature (+15 to +25°C). Accessible only for authorized persons.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Type	Value	Source	Type	Value	Source
Sulfuric Acid					
TWA (8hr)	1 mg/m ³	Belgium	TWA (8hr)	0.2 mg/m ³	Canada (Ontario)
TWA (8hr)	1 mg/m ³	Canada (Quebec)	TWA (8hr)	1 mg/m ³	France
TWA (8hr)	1 mg/m ³	Greece	TWA (8hr)	1 mg/m ³	Hungary
TWA (8hr)	0.5 mg/m ³	Poland	TWA (8hr)	0.2 mg/m ³	Portugal
TWA (8hr)	0.5 mg/m ³	Romania	TWA (8hr)	1 mg/m ³	Spain
TWA (8hr)	0.2 mg/m ³	USA (ACGIH)	TWA (8hr)	1 mg/m ³	USA (OSHA)

Engineering:

Safety shower and eye wash.

Personal Protective Equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

Respiratory Protection:

Required when vapors/aerosols are generated. Work under hood.

Protective Gloves:

Rubber or plastic

Eye Protection:

Goggles or face mask

Industrial Hygiene:

Wash thoroughly after handling. Wash contaminated clothing before reuse. Discard contaminated shoes.

Safety Data Sheet

According to Regulation (EC) No. 1907/2006
 OSHA Regulation 29 CFR 1910.1200
 Canadian Regulation SOR/88-66

SECTION 9: PHYSICAL/CHEMICAL PROPERTIES

Appearance: Colorless liquid	Odor: Odorless	Density at 20°C: ~ 1.10 g/cm ³
Melting Point: NA	Boiling Point: > 100 °C	Solubility: Soluble (development of heat)
pH at 20°C: < 1	Explosion Limit: NA	Flash Point: NA
Thermal Decomp.: NA		

SECTION 10: STABILITY AND REACTIVITY

Conditions to be Avoided:

Heating

Hazardous Polymerization:

Will not occur.

Further Information:

Not available

Hazardous Decomposition Products:

In the event of fire: See section 5.

Substances to be Avoided:

Alkali metals, alkali compounds, ammonia, alkaline earth compounds, alkalis, acids, alkaline earth metals, metals, metal alloys, permanganates, combustible substances, organic solvents, halogenates

SECTION 11: TOXICOLOGICAL INFORMATION

Product Toxicity

Quantitative data on the toxicity of this product is not available.

Potential Health Effects:

- Inhalation:** After inhalation of aerosols: damage to the affected mucous membranes.
- Skin Contact:** Severe burns with formation of scabs.
- Eye Contact:** Burns, corneal lesion.
- Ingestion:** Severe pain (risk of perforation!), nausea, vomiting and diarrhea. After a latency period of several weeks possibly pyloric stenosis.
- Further Data:** Further hazardous properties cannot be excluded. The product should be handled with the usual care when dealing with chemicals.

Component Toxicity

Acute Toxicity:

Sulfuric Acid

- LC50:** Inhalation - Rat - 510 mg/m³
- LD50:** Oral - Rat - 2140 mg/kg

Chronic Toxicity:

Sulfuric Acid

NTP: Known to be carcinogenic to humans

Additional Data:

APPLICABLE TO MAIN COMPONENT:

The following applies to Sulfuric acid, as the pure substance:

Specific symptoms in animal studies:

Skin irritation test (rabbit): burns.

Eye irritation test (rabbit): burns.

Toxicologic values are not available due to other dangerous properties of the substance.

Chronic exposure - carcinogen

Result: The International Agency for Research on Cancer (IARC) has determined that occupational exposure to strong-inorganic-acid mists containing Sulfuric acid is carcinogenic to humans (group 1).

IARC CARCINOGEN LIST

Rating: Group 1

Safety Data Sheet

According to Regulation (EC) No. 1907/2006
 OSHA Regulation 29 CFR 1910.1200
 Canadian Regulation SOR/88-66

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the toxicity of this product is not available.

APPLICABLE TO PARTIAL COMPONENT:

the following applies to Sulfuric acid: Biological effects: Harmful effect on aquatic organisms. Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants. Daphnia toxicity: Daphnia magna EC50: 29 mg/L /24 h (calculated on the pure substance).

Further Data: Do not allow to enter waters, waste waters, or soil!

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

SECTION 14: TRANSPORTATION INFORMATION

	<i>Land (ADR/RID):</i>	<i>Sea (IMDG):</i>	<i>Air (ICAO/IATA):</i>
UN No.:	2796	2796	2796
Proper Shipping Name:	Sulphuric acid solution	Sulphuric acid solution	Sulphuric acid solution
Class (Sub Risk):	8	8	8
Packing Group:	II	II	II

SECTION 15: REGULATORY INFORMATION

Complies with European Regulations (EC) No. 1907/2006 and No. 1272/2008.
 Complies with European Council Directives 67/548/EEC and 1999/45/EC.
 Complies with OSHA Regulation 29 CFR 1910.1200.
 Complies with Canadian Regulation SOR/88-66

SECTION 16: OTHER INFORMATION

Text of phrases under Section 3

R21/22: Harmful in contact with skin and if swallowed.
 R35: Causes severe burns.
 H314: Causes severe skin burns and eye damage.
 H302: Harmful if swallowed.
 H312: Harmful in contact with skin.

Revision Information

Revision Date: 2013-01-22
Supersedes edition of: 2012-05-21
Reason for revision: Regulation (EC) No. 1272/2008 Compliance

Legend

NA: Not Applicable
 ND: Not Determined

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.