

**Revision Date:** 2013-07-09  
**Reason for Revision:** Regulation (EC) No. 1272/2008 Compliance

**SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY**

**Product Name:** HI 93717A-0 Phosphate HR Reagent A

**Application:** Determination of Phosphate in Water Samples

**Company Information (USA):** Hanna Instruments, Inc.  
 584 Park East Dr, Woonsocket, Rhode Island, USA 02895

**Technical Service Contact Information:** 1-800-426-6287 (8:30AM - 5:00PM ET)  
 +1-401-766-4260 (8:30AM - 5:00PM ET)

**USA Emergency Contact Information:** 1-800-424-9300 (Chemtrec 24Hr. Emergency)

**International Emergency Contact Information:** +1-703-527-3887 (Chemtrec 24Hr. Emergency)

**E-mail Address:** tech@hannainst.com

**SECTION 2: HAZARD IDENTIFICATION**

Causes severe skin burns and eye damage.

**According to Regulation (EC) No. 1272/2008:**

**Classification:** Skin Corrosion (Category 1A)

**Signal Word:** **Danger**

**Pictograms:**



**Hazard Statements:** H314: Causes severe skin burns and eye damage.

**Precaution Statements:** P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: If swallowed: rinse mouth. Do not induce vomiting.  
 P305+P351+P338: If in eyes: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**According to Directives 67/548/EEC and 1999/45/EC:**

**Symbol:** C: Corrosive

**R-phrases:** 35: Causes severe burns.

**S-phrases:** 26-30-36/37/39-45: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Never add water to this product. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).

**SECTION 3: COMPOSITION AND COMPONENT INFORMATION**

<b>Component:</b>	<b>EC No:</b>	<b>CAS No:</b>	<b>Hazard Class:</b>	<b>Phrases:</b>	<b>Concentration:</b>
sulphuric acid	231-639-5	7664-93-9	Skin Corr. 1A C	H314 R: 35	> 45% - < 55%
ammonium heptamolybdate tetrahydrate	234-320-9	12054-85-2	Skin Irrit. 2 Eye Irrit. 2 STOT SE 3 Xi	H315, H319, H335 R: 36/37/38	> 1% - < 10%

**SECTION 4: FIRST AID MEASURES**

- After Inhalation:** Remove to fresh air. Summon doctor.
- After Skin Contact:** Wash affected area with plenty of water. Immediately remove contaminated clothing.
- After Eye Contact:** Rinse out immediately with plenty of water and seek medical advise.
- After Swallowing:** Drink plenty of water (if necessary several liters), avoid vomiting (risk of perforation!). Immediately seek medical advice. Do not attempt to neutralize.
- General Information:** Remove contaminated, soaked clothing immediately and dispose of safely.

**SECTION 5: FIRE-FIGHTING MEASURES**

- Suitable Extinguishing Media:**  
Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.
- Special Risks:**  
Hydrogen may form upon contact with metals (danger of explosion!). Development of hazardous combustion gases or vapors possible in the event of fire. The following may develop in event of fire: Sulfur Oxides
- Special Protective Equipment:**  
Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.
- Additional Information:**  
Product itself is non-combustible. Cool container with spray water from a safe distance. Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or groundwater.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

- Personal Precautions:**  
Do not inhale vapors/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms.
- Environmental Precautions:**  
Do not discharge into the drains/surface waters/groundwater.
- Additional Notes:**  
Render harmless: neutralize with diluted sodium hydroxide solution or by throwing on lime, lime sand, or sodium carbonate. Take up with liquid-absorbent material. Clean up affected area and dispose according to local regulation.

**SECTION 7: HANDLING AND STORAGE**

- |   |   |
|---|---|
| <b>Handling:</b>  | <b>Storage:</b>   |
| Avoid generation of vapors/aerosols. Work under hood.<br>Do not inhale substance. | Tightly closed. In a well-ventilated place at room temperature (+15 to +25 °C). Accessible only for authorized persons. |

**SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION**

Type	Value	Source	Type	Value	Source
<b>Ammonium Molybdate Tetrahydrate</b>					
TWA (8hr)	0.5 mg (Mo)/m <sup>3</sup> (respirable)	Canada (Ontario)	TWA (8hr)	0.2 mg (Mn)/m <sup>3</sup>	Canada (Ontario)
TWA (8hr)	5 mg (Mo)/m <sup>3</sup>	Canada (Quebec)	TWA (8hr)	5 mg (Mo)/m <sup>3</sup>	Hungary
TWA (8hr)	4 mg (Mo)/m <sup>3</sup>	Poland	TWA (8hr)	2 mg (Mo)/m <sup>3</sup>	Romania
TWA (8hr)	0.5 mg (Mo)/m <sup>3</sup>	USA (ACGIH)	TWA (8hr)	5 mg (Mo)/m <sup>3</sup>	USA (OSHA)
<b>Sulfuric Acid</b>					
TWA (8hr)	1 mg/m <sup>3</sup>	Belgium	TWA (8hr)	0.2 mg/m <sup>3</sup>	Canada (Ontario)
TWA (8hr)	1 mg/m <sup>3</sup>	Canada (Quebec)	TWA (8hr)	1 mg/m <sup>3</sup>	France
TWA (8hr)	1 mg/m <sup>3</sup>	Greece	TWA (8hr)	1 mg/m <sup>3</sup>	Hungary
TWA (8hr)	0.5 mg/m <sup>3</sup>	Poland	TWA (8hr)	0.2 mg/m <sup>3</sup>	Portugal
TWA (8hr)	0.5 mg/m <sup>3</sup>	Romania	TWA (8hr)	1 mg/m <sup>3</sup>	Spain
TWA (8hr)	0.2 mg/m <sup>3</sup>	USA (ACGIH)	TWA (8hr)	1 mg/m <sup>3</sup>	USA (OSHA)

**Engineering:**

Maintain general industrial hygiene practice.

**Personal Protective Equipment:**

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

**Respiratory Protection:**

Required when vapors/aerosols are generated. Work under hood.

**Protective Gloves:**

Rubber or plastic

**Eye Protection:**

Goggles or face mask

**Industrial Hygiene:**

Change contaminated clothing. Wash hands after working with substance.

**SECTION 9: PHYSICAL/CHEMICAL PROPERTIES**

<b>Appearance:</b>	Colorless liquid	<b>Odor:</b>	Odorless	<b>Density at 20°C:</b>	~ 1.4 g/cm <sup>3</sup>
<b>Melting Point:</b>	NA	<b>Boiling Point:</b>	> 100°C	<b>Solubility:</b>	Soluble (development of heat)
<b>pH at 20°C:</b>	Strongly acid	<b>Explosion Limit:</b>	NA	<b>Flash Point:</b>	NA
<b>Thermal Decomp.:</b>	NA				

**SECTION 10: STABILITY AND REACTIVITY**

**Conditions to be Avoided:**

Heating

**Hazardous Polymerization:**

Will not occur.

**Further Information:**

Hygroscopic. Has a corrosive effect. Incompatible with metals, animal/vegetal tissue

**Hazardous Decomposition Products:**

In the event of fire: See section 5.

**Substances to be Avoided:**

Water, alkali metals, alkali compounds, ammonia, alkaline earth metals, alkalis, acids, alkaline earth compounds, metals, metal alloys, phosphorus oxides, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvents, acetylidene, nitriles, organic nitro compounds, anilines, peroxides, picrates, nitrides, lithium silicide

**SECTION 11: TOXICOLOGICAL INFORMATION**

**Product Toxicity**

Quantitative data on the toxicity of this product is not available.

**Potential Health Effects:**

- Inhalation:** After inhalation of aerosols: damage to the affected mucous membranes.  
**Skin Contact:** Severe burns with formation of scabs.  
**Eye Contact:** Burns, corneal lesion.  
**Ingestion:** Severe pain (risk of perforation!), nausea, vomiting and diarrhea. After a latency period of several weeks possibly pyloric stenosis.  
**Further Data:** Further hazardous properties cannot be excluded. The product should be handled with the usual care when dealing with chemicals.

**Component Toxicity**

**Acute Toxicity:**

**Sulfuric Acid**

**LC50:** Inhalation - Rat - 510 mg/m<sup>3</sup>

**LD50:** Oral - Rat - 2140 mg/kg

**Chronic Toxicity:**

**Sulfuric Acid**

NTP: Known to be carcinogenic to humans

**Additional Data:**

APPLICABLE TO MAIN COMPONENT:

The following applies to Sulfuric acid:

Specific symptoms in animal studies:

Skin irritation test (rabbit): burns.

Eye irritation test (rabbit): burns.

Toxicologic values are not available due to other dangerous properties of the substance.

Subacute to chronic toxicity

No appreciable contribution to the cancer risk in humans is to be expected where the limit value for occupational safety is observed.

An embryotoxic effect need not be feared when the threshold limit value is observed.

No teratogenic effect in animal experiments.

Bacterial mutagenicity: Ames-Test: negative.

**SECTION 12: ECOLOGICAL INFORMATION**

Quantitative data on the toxicity of this product is not available.

APPLICABLE TO PARTIAL COMPONENT:

The following applies to Sulfuric acid: Biological effects: Harmful effect on aquatic organisms. Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants. Daphnia toxicity: Daphnia magna EC50: 29 mg/L /24 h (calculated on the pure substance).

APPLICABLE TO PARTIAL COMPONENT:

The following applies to Ammonium Molybdate Tetrahydrate: Onchorhynchus mykiss: LC0 320 mg/L /96 h; LC50 420 mg/L /96 h. Daphnia magna: EC50 140 mg/L 48h. Algae –Scenedesmus subspicatus: EC50 41 mg/L 72h.

**Further Data:** APPLICABLE TO PARTIAL COMPONENT:

Fish toxicity:

Sulfuric acid: lethal from 1.2 mg/L; from 6.3 mg/L lethal in 24h. DO NOT ALLOW TO ENTER WATERS, WASTE WATERS, OR SOIL!

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal:** Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006  
OSHA Regulation 29 CFR 1910.1200  
Canadian Regulation SOR/88-66

**SECTION 14: TRANSPORTATION INFORMATION**

	<i>Land (ADR/RID):</i>	<i>Sea (IMDG):</i>	<i>Air (ICAO/IATA):</i>
<b>UN No.:</b>	2796	2796	2796
<b>Proper Shipping Name:</b>	Sulphuric acid solution	Sulphuric acid solution	Sulphuric acid solution
<b>Class (Sub Risk):</b>	8	8	8
<b>Packing Group:</b>	II	II	II

**SECTION 15: REGULATORY INFORMATION**

Complies with European Regulations (EC) No. 1907/2006 and No. 1272/2008.  
Complies with European Council Directives 67/548/EEC and 1999/45/EC.  
Complies with OSHA Regulation 29 CFR 1910.1200.  
Complies with Canadian Regulation SOR/88-66

**SECTION 16: OTHER INFORMATION**

***Text of phrases under Section 3***

R35: Causes severe burns.  
R36/37/38: Irritating to eyes, respiratory system and skin.  
H314: Causes severe skin burns and eye damage.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.

***Revision Information***

**Revision Date:** 2013-07-09  
**Supersedes edition of:** 2012-05-21  
**Reason for revision:** Regulation (EC) No. 1272/2008 Compliance

***Legend***

NA: Not Applicable  
ND: Not Determined

**THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.**