

# **Safety Data Sheet**

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

**Revision Date:** 2013-08-20

Reason for Revision: Regulation (EC) No. 1272/2008 Compliance

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: HI 93758V-0 Acid Digestion Vial

**Application:** Digestion of samples for phosphorus

determination.

Company Information (USA): Hanna Instruments, Inc.

584 Park East Dr, Woonsocket, Rhode Island, USA 02895

Technical Service Contact Information: 1-800-426-6287 (8:30AM - 5:00PM ET)

+1-401-766-4260 (8:30AM - 5:00PM ET)

USA Emergency Contact Information: 1-800-424-9300 (Chemtrec 24Hr. Emergency)

International Emergency Contact Information: +1-703-527-3887 (Chemtrec 24Hr. Emergency)

E-mail Address: tech@hannainst.com

## **SECTION 2:** HAZARD IDENTIFICATION

Eye Irritation (Category 2) Skin Irritation (Category 2)

According to Regulation (EC) No. 1272/2008:

Classification: H315: Causes skin irritation.

H319: Causes serious eye irritation.

Pictograms:

**(!)** 

*Hazard* P280: Wear protective gloves/protective clothing/eye protection/face protection.

Statements: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

**Precaution** Warning

Statements:

According to Directives 67/548/EEC and 1999/45/EC:

Symbol: Xi: Irritant

**R-phrases:** 36/38: Irritating to eyes and skin.

S-phrases: 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

## **SECTION 3:** COMPOSITION AND COMPONENT INFORMATION

 Component:
 EC No:
 CAS No:
 Hazard Class:
 Phrases:
 Concentration:

 Sulfuric Acid
 231-639-5
 7664-93-9
 Skin Corr. 1A
 H319, H315
 > 5% - < 15%</td>

 C
 R: 35

## **SECTION 4:** FIRST AID MEASURES

After Inhalation: Call in physician.

After Skin Contact: Wash affected area with water. Dab with polyethylene glycol 400. Immediately remove contaminated clothing.

After Eye Contact: Rinse out with plenty of water for at least 10 minutes with the eyelid held wide open. Immediately call in ophthalmologist.

After Swallowing: Make victim drink plenty of water (if necessary several liters), avoid vomiting (risk of perforation!). Immediately call in

physician. Do not attempt to neutralize.

General Information: Remove contaminated, soaked clothing immediately and dispose of safely.



# **Safety Data Sheet**

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

### **SECTION 5: FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media:

Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.

#### Special Risks

Development of hazardous combustion gases or vapors possible in the event of fire. Hydrogen may form upon contact with metals (danger of explosion!). The following may develop in event of fire: Sulfur Oxides

#### Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

#### Additional Information:

Product itself is non-combustible. Cool container with spray water from a safe distance. Contain escaping vapors with water. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions:

Take up with liquid-absorbent material. Clean up affected area and dispose according to local regulation.

#### **Environmental Precautions:**

Do not discharge into the drains/surface waters/groundwater.

#### Additional Notes:

Render harmless: neutralize with diluted sodium hydroxide solution or by throwing on lime, lime sand, or sodium carbonate.

## **SECTION 7:** HANDLING AND STORAGE

Handling: Storage:

Avoid generation of vapors/aerosols. Do not inhale Tightly closed. In a well-ventilated place at +15 to +25 °C, protected substance. Tightly closed. In a well-ventilated place at +15 to +25 °C, protected from light. Accessible only for authorized persons.

## SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Туре	Value	Source	Туре	Value	Source
Sulfuric Acid					
TWA (8hr)	1 mg/m³	Belgium	TWA (8hr)	0.2 mg/m <sup>3</sup>	Canada (Ontario)
TWA (8hr)	1 mg/m³	Canada (Quebec)	TWA (8hr)	1 mg/m³	France
TWA (8hr)	1 mg/m³	Greece	TWA (8hr)	1 mg/m³	Hungary
TWA (8hr)	0.5 mg/m <sup>3</sup>	Poland	TWA (8hr)	0.2 mg/m <sup>3</sup>	Portugal
TWA (8hr)	0.5 mg/m <sup>3</sup>	Romania	TWA (8hr)	1 mg/m³	Spain
TWA (8hr)	0.2 mg/m <sup>3</sup>	USA (ACGIH)	TWA (8hr)	1 mg/m³	USA (OSHA)

### Engineering:

Safety shower and eye wash.

#### Personal Protective Equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

Respiratory Protection: Protective Gloves: Eye Protection:

Required when vapors/aerosols are generated. Rubber or plastic Goggles or face mask

Industrial Hygiene:

Change contaminated clothing. Wash hands after working with substance.



# **Safety Data Sheet**

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

**SECTION 9: PHYSICAL/CHEMICAL PROPERTIES** 

Appearance: Colorless liquid Odor: Odorless Density at 20°C: 1.2 g/cm3 **Melting Point:** ND **Boiling Point:** NΠ Solubility: Soluble pH at 20°C: Strongly acidic **Explosion Limit:** NA Flash Point: NA

Thermal Decomp.: ND

**SECTION 10: STABILITY AND REACTIVITY** 

Conditions to be Avoided:

Strong Heating In the event of fire: See section 5.

Hazardous Polymerization: Substances to be Avoided:

Will not occur.

Alkali metals, alkali compounds, ammonia, alkaline earth compounds, alkalis, acids, alkaline earth metals, metal alloys, permanganates, alkalis, acids, alkaline earth metals, metal alloys, permanganates, across alkalis, acids, alkaline earth metals, met

**Chronic Toxicity:** 

**Sulfuric Acid** 

NTP: Known to be carcinogenic to humans

Hazardous Decomposition Products:

Not available combustible substances, organic solvents, halogenates

**SECTION 11:** TOXICOLOGICAL INFORMATION

**Product Toxicity** 

Quantitative data on the toxicity of this product is not available.

Potential Health Effects:

Inhalation: After inhalation of aerosols: damage to the affected mucous membranes.

Skin Contact: Irritations.

**Eye Contact:** Possibility of irritations and corneal lesions.

Ingestion: Damage to the affected mucous membranes possible.

Further Data: The product should be handled with the usual care when dealing with chemicals.

Component Toxicity

Acute Toxicity:

Sulfuric Acid

**LC50:** Inhalation - Rat - 510 mg/m³ **LD50:** Oral - Rat - 2140 mg/kg

Additional Data:

APPLICABLE TO PARTIAL COMPONENT:

The following applies to Sulfuric acid, as the pure substance:

Specific symptoms in animal studies:

Eye irritation test (rabbit): burns.

Skin irritation test (rabbit): burns.

Toxicological values are not available due to other dangerous properties of the substance.

Subacute to chronic toxicity

Applicable to partial component(s):

Bacterial mutagenicity: Ames test: negative. No teratogenic effect in animal experiments.

Page 3 of 4



# **Safety Data Sheet**

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

### **SECTION 12: ECOLOGICAL INFORMATION**

Quantitative data on the toxicity of this product is not available.

APPLICABLE TO PARTIAL COMPONENT:

The following applies to Sulfuric acid, as the pure substance:

Biologic degradation:

Methods for the determination of biodegradability are not applicable to inorganic substances.

Behavior in environmental compartments:

Concentration in organisms is not to be expected.

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

The following applies to sulfuric acid: biological effects: harmful effect on aquatic organisms. Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants.

Daphnia toxicity: Daphnia magna EC50: 29 mg/L/24 h (calculated on the pure substance).

Further Data: DO NOT ALLOW TO ENTER WATERS, WASTE WATERS, OR SOIL!

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local

authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

## **SECTION 14: TRANSPORTATION INFORMATION**

Land (ADR/RID): Sea (IMDG): Air (ICAO/IATA):

**UN No.**: 3264 3264 3264

Proper Shipping Name: Corrosive liquid, acidic, inorganic, n.o.s. Corrosive liquid, acidic, inorganic, n.o.s. Corrosive liquid, acidic, inorganic, n.o.s.

(sulphuric acid solution) (sulphuric acid solution) (sulphuric acid solution)

 Class (Sub Risk):
 8
 8
 8

 Packing Group:

## **SECTION 15: REGULATORY INFORMATION**

Complies with European Regulations (EC) No. 1907/2006 and No. 1272/2008.

Complies with European Council Directives 67/548/EEC and 1999/45/EC.

Complies with OSHA Regulation 29 CFR 1910.1200.

Complies with Canadian Regulation SOR/88-66

## **SECTION 16: OTHER INFORMATION**

Text of phrases under Section 3 Revision Information

R35: Causes severe burns.
H315: Causes skin irritation.
H319: Causes serious eye irritation.
Supersedes edition of: 2012-05-21

Reason for revision: Regulation (EC) No. 1272/2008

Compliance

**Legend** NA: Not Applicable

ND: Not Determined

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.