


Portables


Price List

US Dollar



Gas Detection Flow Chart

for portable protection



Options and accessories available (for full list refer to datasheet):

- Sampler** external, motorized pump
 Test station
 Hard hat clip
- Test station**
 Concussion-proof boot
 Ear Jack
- Test station**
 Hard hat clip
- Infrared USB adaptor**
 Thermal cordless printer
 Test station
- Confined Space Kit**
 Concussion-proof boot
 Calibration Gases and Kits
- MicroDock** automatic test and calibration station
Sampler external, motorized pump

Table of Contents

Disposable Detectors



GasAlert100.....	1
GasAlertClip Extreme	2
GasAlertClip	2

Single Gas Detectors

GasAlert Extreme	4
GasAlert	6
GasAlert LEL	7
Accessories and Options	8
Replacements and Spares	9

Multi-Gas Detectors

GasAlertMicro	10
MicroDock.....	14
GasAlertMax.....	15
BW Defender2	18

HVAC Test Equipment

GasProbe IAQ	21
GasProbe CO	22
GasProbe.....	23

Calibration Equipment

Calibration Kits	24
Gases.....	24
Regulators and Accessories	25

Service and Training

Service Labor Rates	26
Terms and Conditions	



DISPOSABLE MAINTENANCE-FREE GAS DETECTORS

GasAlert100 - 100 Day Personal Gas Detector

Detector comes complete and ready for use with sensor, belt clip and instructions. Warranty extends for life of instrument, including sensor (100 days).

100 day Hydrogen Sulfide (H₂S) (Alarms: Low - 10 ppm, High - 15 ppm)120.00

100 day Carbon Monoxide (CO) (Alarms: Low - 35 ppm, High - 200 ppm)120.00

Special Alarm Settings (customer specified) - minimum quantity ten (10) unitsNo Charge

Accessories and Spares - Compatible with GasAlert100 models

Hard Hat Clip (non-conductive) 15.00

"BUMP" Alarm Test Gas Aerosol (H₂S-25 ppm, balance Nitrogen) 11 liter 50.00

"BUMP" Alarm Test Gas Aerosol (CO-100 ppm, balance Nitrogen) 11 liter 50.00

GasAlert100 Instructions (printed) - English2.50

GasAlert100 CD-ROM- Multi-language Instructions7.00

Automatic Full Function Test Station

GasAlert100 110-220 VAC Test Station with regulator (order gas separately)595.00

For delivery with plug version: United Kingdom (-UK), European (-EU), Australia (-AU).....No Charge

Hydrogen Sulfide Gas (H₂S-25 ppm) for use with Test Station58 liter 145.00

Carbon Monoxide Gas (CO-100 ppm) for use with Test Station 103 liter 125.00

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

DISPOSABLE MAINTENANCE-FREE GAS DETECTORS

GasAlertClip Extreme - Two Year Personal Gas Detector with Integral Concussion-Proof Boot, Event Logging and Internal Vibrator Alarm

Standard alarms listed. Detector comes complete and ready for use with with integral water-resistant IP 66/67 concussion -proof housing, sensor, stainless steel alligator belt clip, test cap and instructions. Warranty extends for life of instrument, including sensor (2 years).

2 year Hydrogen Sulfide (H2S) (Alarms: Low - 10 ppm, High - 15 ppm)	240.00
2 year Carbon Monoxide (CO) (Alarms: Low - 35 ppm, High - 200 ppm)	240.00
2 year Sulfur Dioxide (SO2) (Alarms: Low - 5 ppm, High - 10 ppm)	310.00
2 year Oxygen (O2) (Alarms: Low - 19.5 %, High - 23.5 %)	215.00
Special Alarm Settings (customer specified) - minimum quantity ten (10) units	No Charge
To receive a detector with slip on belt clip (stainless steel)	No Charge
To receive a detector with alligator clip (non-conductive ABS)	No Charge

GasAlertClip - Two Year Personal Gas Detector with Event Logging and Internal Vibrator Alarm

Standard alarms listed. Detector comes complete and ready for use with sensor, belt clip, test cap and instructions. Warranty extends for life of instrument, including sensor (2 years).

2 year Hydrogen Sulfide (H2S) (Alarms: Low - 10 ppm, High - 15 ppm)	245.00
2 year Carbon Monoxide (CO) (Alarms: Low - 35 ppm, High - 200 ppm)	245.00
2 year Sulfur Dioxide (SO2) (Alarms: Low - 5 ppm, High - 10 ppm)	315.00
2 year Oxygen (O2) (Alarms: Low - 19.5 %, High - 23.5 %)	220.00
Special Alarm Settings (customer specified) - minimum quantity ten (10) units	No Charge
To receive a detector with alligator clip (non-conductive ABS)	Add: 12.00
To receive a detector with alligator clip (stainless steel)	Add: 14.00

Accessories and Spares - Compatible with GasAlertClip and/or GasAlertClip Extreme

Alligator Clip (non-conductive ABS)	12.00
Alligator Clip (stainless steel)	14.00
Concussion-proof Boot (carrying case) with alligator clip	20.00
Neckstrap with safety release for use with Concussion-proof Boot	10.00
Splash Guard Filter for use with Concussion-proof Boot, kit of 5	10.00
Infrared USB Adapter with software	200.00
Infrared Handheld Printer	300.00
Printer Paper replacement for GPR-PRINTER, 3 rolls	19.00
Test Cap and 1 ft./3 m hose	10.00
"BUMP" Alarm Test Gas Aerosol (H2S-25 ppm, balance Nitrogen)	11 liter 50.00
"BUMP" Alarm Test Gas Aerosol (CO-100 ppm, balance Nitrogen)	11 liter 50.00
GasAlertClip Instructions (printed) - English (GA24XT models)	2.50
GasAlertClip Instructions (printed) - English (-EL models)	2.50
GasAlertClip CD-ROM - Multi-language Instructions (GA24XT models)	5.00

Order No.**Description****List Price USA \$**

DISPOSABLE MAINTENANCE-FREE GAS DETECTORS

GasAlert series training video CD ROM	5.00
<i>Automatic Full Function Test Station for GasAlertClip and GasAlertClip Extreme</i>	
Test Station (110-220 VAC) with regulator (order gas separately)	595.00
For delivery with plug version: United Kingdom (-UK), European (-EU), Australia ... (-AU)	No Charge
Hydrogen Sulfide Gas (H2S-25 ppm) for use with Test Station	58 liter 145.00
Carbon Monoxide Gas (CO-100 ppm) for use with Test Station	103 liter 125.00
Sulfur Dioxide Gas (SO2-10 ppm) for use with Test Station	34 liter 140.00
Nitrogen Gas (100% N2) for use with Test Station	103 liter 150.00

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

SINGLE GAS DETECTORS

GasAlert Extreme - Toxic and Oxygen Personal Gas Detector - Ready for Use

Detector comes complete with integral water-resistant IP 66/67 concussion -proof housing, built-in vibrator alarm, field replaceable battery, sensor, stainless steel alligator clip, test cap, hose and instructions. User field options include latching alarms, and pass code protection. Two year warranty including sensors (ammonia sensor 1 year).

GasAlert Extreme (H2S) Hydrogen Sulfide (Measuring range: 0-100 ppm)	395.00
GasAlert Extreme (CO) Carbon Monoxide (Measuring range: 0-1000 ppm)	395.00
GasAlert Extreme (CO, H2 resistant)(Measuring range: 0-1000 ppm)	TBA
GasAlert Extreme (O2) Oxygen (Measuring range: 0-30%)	395.00
GasAlert Extreme (SO2) Sulfur Dioxide (Measuring range: 0-100 ppm)	495.00
GasAlert Extreme (Cl2) Chlorine (Measuring range: 0-50.0 ppm)	495.00
GasAlert Extreme (HCN) Hydrogen Cyanide (Measuring range: 0-30.0 ppm)	495.00
GasAlert Extreme (NO2) Nitrogen Oxide (Measuring range: 0-99.9 ppm)	495.00
GasAlert Extreme (NH3) Ammonia (Measuring range: 0-100 ppm)	495.00
GasAlert Extreme (PH3) Phosphine (Measuring range: 0-5.0 ppm)	495.00
GasAlert Extreme (O3) Ozone (Measuring range: 0-1 ppm)	495.00
GasAlert Extreme (ETO) Ethylene Oxide (Measuring range 0-100 ppm)	495.00
GasAlert Extreme (NO) Nitric Oxide (Measuring range: 0-250 ppm)	495.00
GasAlert Extreme (ClO2) Chlorine Dioxide (Measuring range: 0-1 ppm)	495.00

with Multi-language Support (English, French, German, Spanish, Portuguese)

GasAlert Extreme (H2S) - Multi-language	410.00
GasAlert Extreme (CO) - Multi-language	410.00
GasAlert Extreme (CO, H2 resistant) - Multi-language	TBA
GasAlert Extreme (O2) - Multi-language	410.00
GasAlert Extreme (SO2) - Multi-language	510.00
GasAlert Extreme (Cl2) - Multi-language	510.00
GasAlert Extreme (HCN) - Multi-language	510.00
GasAlert Extreme (NO2) - Multi-language	510.00
GasAlert Extreme (NH3) - Multi-language	510.00
GasAlert Extreme (PH3) - Multi-language	510.00
GasAlert Extreme (O3) - Multi-language	510.00
GasAlert Extreme (ETO) - Multi-language	510.00
GasAlert Extreme (NO) - Multi-language	510.00
GasAlert Extreme (ClO2) - Multi-language	510.00

with Multi-language Support and User-downloadable Datalogger

GasAlert Extreme (H2S) - Multi-language, Datalogging	495.00
GasAlert Extreme (CO) - Multi-language, Datalogging	495.00
GasAlert Extreme (CO, H2 resistant) - Multi-language, Datalogging	TBA
GasAlert Extreme (O2) - Multi-language, Datalogging	495.00
GasAlert Extreme (SO2) - Multi-language, Datalogging	595.00
GasAlert Extreme (Cl2) - Multi-language, Datalogging	595.00

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

SINGLE GAS DETECTORS

GasAlert Extreme (HCN) - Multi-language, Datalogging	595.00
GasAlert Extreme (NO2) - Multi-language, Datalogging	595.00
GasAlert Extreme (NH3) - Multi-language, Datalogging	595.00
GasAlert Extreme (PH3) - Multi-language, Datalogging	595.00
GasAlert Extreme (O3) - Multi-language, Datalogging	595.00
GasAlert Extreme (ETO) - Multi-language, Datalogging	595.00
GasAlert Extreme (NO) - Multi-language, Datalogging	595.00
GasAlert Extreme (ClO2) - Multi-language, Datalogging	595.00

GasAlert Extreme SamplerPaks

Portable kit includes GasAlert Extreme detector with standard accessories and the SamplerPak. The SamplerPak includes: Sampler (external motorized sampling pump), sampling hose with airstone filter (10 ft./3 m), coiled connector hose, sampling tubes (10.25 in./26 cm and 4.65 in./12 cm) and a carrying case.

GasAlert Extreme SamplerPak	Add: 250.00
SamplerPak and Charger/Battery Kit (GAMIC-C01-K)	40.00
For delivery with plug version: United Kingdom (-UK), European (-EU), Australia ... (-AU)	No Charge

For a complete list of Sampler accessories, options and spares, see end of GasAlertMicro section.

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

SINGLE GAS DETECTORS

GasAlert - Toxic and Oxygen Personal Gas Detector - Ready for Use

Detector comes complete with field replaceable battery, sensor, belt clip, test cap, hose and instructions. User field options include pass code protection. Two year warranty including sensors (ammonia sensor 1 year).

GasAlert (H2S) Hydrogen Sulfide (Measuring range: 0 - 100 ppm)	375.00
GasAlert (CO) Carbon Monoxide (Measuring range: 0 - 999 ppm)	375.00
GasAlert (SO2) Sulfur Dioxide (Measuring range: 0 - 100 ppm)	475.00
GasAlert (Cl2) Chlorine (Measuring range: 0 - 50.0 ppm)	475.00
GasAlert (HCN) Hydrogen Cyanide (Measuring range: 0 - 30.0 ppm)	475.00
GasAlert (NO2) Nitrogen Dioxide (Measuring range: 0 - 99.9 ppm)	475.00
GasAlert (NH3) Ammonia (Measuring range: 0 - 100 ppm)	475.00
GasAlert (PH3) Phosphine (Measuring range: 0 - 5.0 ppm)	475.00
GasAlert (O2) Oxygen (Measuring range: 0 - 30.0% by volume)	375.00

with Internal Vibrator Alarm

GasAlert (H2S) with Internal Vibrator Alarm	425.00
GasAlert (CO) with Internal Vibrator Alarm	425.00
GasAlert (SO2) with Internal Vibrator Alarm	525.00
GasAlert (Cl2) with Internal Vibrator Alarm	525.00
GasAlert (HCN) with Internal Vibrator Alarm	525.00
GasAlert (NO2) with Internal Vibrator Alarm	525.00
GasAlert (NH3) with Internal Vibrator Alarm	525.00
GasAlert (PH3) with Internal Vibrator Alarm	525.00
GasAlert (O2) with Internal Vibrator Alarm	425.00

with Alligator Clip

To receive a detector with alligator clip (stainless steel)	Add: 14.00
To receive a detector with alligator clip (non-conductive ABS)	Add: 12.00

GasAlert SamplerPaks

Portable kit includes GasAlert detector with standard accessories and the SamplerPak. The SamplerPak includes: Sampler (external motorized sampling pump), sampling hose with airstone filter (10 ft./3 m), coiled connector hose, sampling tubes (10.25 in./26 cm and 4.65 in./12 cm) and a carrying case.

GasAlert SamplerPak	Add: 250.00
SamplerPak and Charger/Battery Kit (GAMIC-C01-K)	40.00
For delivery with plug version: United Kingdom (-UK), European (-EU), Australia .. (-AU)	No Charge

For a complete list of Sampler accessories, options and spares, see end of GasAlertMicro section.

Note:

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

SINGLE GAS DETECTORS

GasAlert LEL - Combustible Personal Gas Detector - Ready for Use

Complete with rechargeable battery, AC charger (110-220 VAC), sensor, belt clip, test cap, hose and instructions. User field options include pass code protection. Two year warranty including sensors.

Combustible Gas Detector (0 - 100 % LEL range)450.00

Combustible Gas Detector with Internal Vibrator Alarm500.00

with Alligator Clip

To receive a detector with alligator clip (non-conductive ABS)Add: 12.00

To receive a detector with alligator clip (stainless steel)Add: 14.00

AC Charger Options (-xx) for GasAlert LEL

For other plug type: "-EU" Europe, "-UK" United Kingdom, "-AU" Australia.....No Charge

GasAlert LEL SamplerPaks

Portable kit includes GasAlert LEL detector with standard accessories and the SamplerPak. The SamplerPak includes: Sampler (external motorized sampling pump), sampling hose with airstone filter (10 ft./3 m), coiled connector hose, sampling tubes (10.25 in./26 cm and 4.65 in./12 cm) and a carrying case.

GasAlert LEL SamplerPakAdd: 250.00

SamplerPak and Charger/Battery Kit (GAMIC-C01-K)40.00

For delivery with plug version: United Kingdom (-UK), European (-EU), Australia .. (-AU).....No Charge

NOTE:

For a complete list of Sampler accessories, options and spares, see end of GasAlertMicro section.

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

SINGLE GAS DETECTORS

Accessories, Options, Replacements and Spares

Accessories and Options - Compatible with GasAlert Extreme, GasAlert and/or GasAlert LEL

Hard Hat Clip (non-conductive)	15.00
Alligator Clip (non-conductive ABS)	12.00
Alligator Clip (stainless steel)	14.00
Concussion-proof Boot (carrying case) with alligator clip (GasAlert Extreme/GasAlert)	25.00
Concussion-proof Boot (carrying case) with alligator clip (GasAlert LEL)	25.00
Neckstrap with safety release for use with Concussion-proof Boot	10.00
Splash Guard Filter for use with Concussion-proof Boot, kit of 5	10.00
Multi-unit Charger, 110-220 VAC (for 5 GasAlert LEL units w/prefix "2-")	400.00
to change plug type, add suffix (-EU) Europe, (-UK) United Kingdom, (-AU) Australia	
Vehicle Charger (GasAlert LEL)	32.00
SamplerPak, motorized sampling pump portable kit	285.00
SamplerPak, motorized sampling pump portable kit (European version)	285.00
SamplerPak, motorized sampling pump portable kit (UK version)	285.00
Belt Holster for Sampler	20.00
Manual Aspirator Pump with 10 ft./3 m hose	75.00
Manual Aspirator Pump with 1 ft./0.3 m probe	79.00
Collapsible Sample Probe, 3.3 ft./1 m for Sampler	65.00
Telescopic Sample Probe 6.5 ft./2 m	120.00
Remote Vibrator Alarm with 3 ft./1 m cable (GasAlert - approved for N.America)	125.00
Earphone (compatible with GA-(x) / GA-W / GAA-W; not with GAA-(x))	14.00
Breathing Adapter	85.00
Breathing Adapter with Concussion-proof Boot	100.00
Replacement Breathing Tubes for Breathing Adaptor, kit of 200	80.00
GasAlert CD-ROM - Multi-language Instructions	5.00
GasAlert LEL CD-ROM - Multi-language Instructions	5.00
GasAlert series training video CD ROM	5.00

Automatic Full Function Test Station for GasAlert Extreme/GasAlert/GasAlert LEL

Test Station (110-230 VAC) with regulator (order gas separately)	595.00
For delivery with plug version: United Kingdom (-UK), European (-EU), Australia	(-AU) No Charge
Hydrogen Sulfide Gas (H2S-25 ppm) for use with Test Station	58 liter 145.00
Carbon Monoxide Gas (CO-100 ppm) for use with Test Station	103 liter 125.00
Sulfur Dioxide Gas (SO2-10 ppm) for use with Test Station	34 liter 140.00
Methane - 2.5% (50% LEL), balance air for use with Test Station	103 liter 150.00
Nitrogen Gas (100% N2) for use with Test Station	103 liter 150.00

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

SINGLE GAS DETECTORS

Replacements and Spares - Compatible with GasAlert Extreme, GasAlert and/or GasAlert LEL

Hydrogen Sulfide (H2S) Sensor	210.00
Carbon Monoxide (CO) Sensor	220.00
Sulfur Dioxide (SO2) Sensor	297.00
Chlorine (Cl2) Sensor	297.00
Hydrogen Cyanide (HCN) Sensor	285.00
Nitrogen Dioxide (NO2) Sensor	297.00
Ammonia (NH3) Sensor	297.00
Phosphine (PH3) Sensor	297.00
Oxygen (O2) 2 year Sensor (for model GA-X order Part # D4-RX06, 1 year O2 sensor).....	135.00
Combustible (0-100% LEL) Sensor (standard)(GasAlert LEL)	175.00
Advisory: detectors are equipped on a standard basis with SR-W04 combustible sensors. The SRW04 combustible sensor replaces the older D4-RW90 sensor. The D4-RW90 sensor included a heavy duty silicone filter that is not necessary for most monitoring applications. The SR-W04-SF sensor is a special application combustible sensor that includes a silicone filter. The SR-W04-SF should only be specified when the environment to be monitored includes known sources of silicone or silicon containing vapors. The SR-W04-SF silicone filter equipped sensor should not be used when monitoring diesel, kerosene, jet fuel or other heavy hydrocarbon vapors with flashpoint temperatures above 38 C (100 F)	
Combustible (0-100% LEL) Sensor (with heavy duty silicone filter)	195.00
Sensor replacement screens (kit of 10)	8.00
Battery - 3-year lithium, 3-volt, disposable (GasAlert)	12.50
Battery Assembly - rechargeable lithium ion (GasAlert LEL)	125.00

(Note: for GasAlert LEL with serial# prefix "1-", order GA-WBAT1 battery assembly)

GasAlert LEL Charger - N.American certified	25.00
(Note: for GasAlert LEL with serial# prefix "1-", order GA-C01 charger)	
GasAlert LEL Charger - IEC/ATEX certified	65.00
for plug type, add suffix (-EU) Europe, (-UK) United Kingdom, (-AU) Australia, (-NA) N.America	
Belt Clip with screw	4.00
Test Cap and 1 ft./3 m hose	10.00
GasAlert Manual (printed) - English	5.00
GasAlert LEL Manual (printed) - English	5.00

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

GASALERTMICRO MULTI-GAS DETECTORS

GasAlertMicro - Two, Three and Four-Gas Portable Detectors - Ready for use

Safety yellow instrument with integral concussion -proof boot, two AA alkaline batteries, sensors, calibration hose, calibration cap, stainless steel alligator clip and instructions (standard). Two year warranty including sensors.

4-gas: Combustibles (% LEL), Oxygen, Carbon Monoxide and Hydrogen Sulfide	695.00
including four rechargeable batteries AA NiMH (GAMIC-BAT-K)	715.00
including charger plus four rechargeable AA NiMH batteries (GAMIC-C01-K).....	735.00
including GA MicroBatt cradle charger kit (GAMIC-C03-K)	825.00
3-gas: Combustibles (% LEL), Oxygen and Hydrogen Sulfide	625.00
3-gas: Combustibles (% LEL), Oxygen and Carbon Monoxide	625.00
3-gas: Combustibles (% LEL), Oxygen and Sulfur Dioxide	695.00
2-gas: Combustibles (% LEL) and Oxygen	545.00
2-gas: Combustibles (% LEL) and Hydrogen Sulfide	595.00
Change suffix to "-4B" or "-3HB" or "-2B" to order black GasAlertMicro	No Charge

Datalogging Versions - Include 32 MB MMC Card and Free Software. ("-IR" versions are MicroDock compatible)

4-gas: %LEL, O2, CO and H2S with user-downloadable datalogger	795.00
including rechargeable battery kit, four AA NiMH (GAMIC-BAT-K)	815.00
including charger plus four rechargeable AA NiMH batteries (GAMIC-C01-K).....	835.00
including GA MicroBatt cradle charger kit (GAMIC-C03-K)	925.00
3-gas: %LEL, O2 and H2S with user-downloadable datalogger	725.00
3-gas: %LEL, O2 and CO with user-downloadable datalogger	725.00
2-gas: %LEL and O2 with user-downloadable datalogger	645.00
1-gas: %LEL with user-downloadable datalogger	595.00
1-gas: H2S with user-downloadable datalogger	595.00
1-gas: CO with user-downloadable datalogger	595.00
1-gas: SO2 with user-downloadable datalogger	595.00
1-gas: O2 with user-downloadable datalogger	560.00

GASALERTMICRO SAMPLERPAKS

Includes GasAlertMicro with standard accessories and the SamplerPak. The SamplerPak includes the Sampler (external motorized sampling pump), sampling hose with airstone filter (10 ft./3 m), coiled connector hose (3 ft./0.9 m), sampling tubes (10.25 in./26 cm and 4.65 in./12 cm) and a carrying case.

GasAlertMicro with SamplerPak	945.00
Datalogging GasAlertMicro with SamplerPak	1,045.00
GasAlertMicro with SamplerPak and Charger/Battery Kit (GAMIC-C01-K)	985.00
Datalogging GasAlertMicro with SamplerPak and Charger/Battery Kit (GAMIC-C01-K).....	1,085.00
For delivery with plug version: United Kingdom (-UK), European (-EU), Australia	(-AU) No Charge

For a complete list of Sampler accessories, options and spares, see end of GasAlertMicro section.

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

GASALERTMICRO MULTI-GAS DETECTORS

CONFINED SPACE VALUE ADDED KITS

Includes GasAlertMicro and standard accessories plus 4 -port charger, 4 NiMH rechargeable batteries, 10 ft./3 m sampling hose, quad calibration gas (34 L cylinder) and regulator in a rugged hard sided carrying case.

Confined Space Kits with The Sampler (Motorized Sampling Pump)

Confined Space Kit - 4-gas: %LEL, O2, CO, H2S	1,345.00
Confined Space Kit - 4-gas: %LEL, O2, CO, H2S with user-downloadable datalogger	1,445.00
Confined Space Kit - 3-gas: %LEL, O2, H2S	1,275.00
Confined Space Kit - 3-gas: %LEL, O2, H2S with user-downloadable datalogger	1,375.00
Confined Space Kit - 3-gas: %LEL, O2, CO	1,275.00
Confined Space Kit - 3-gas: %LEL, O2, CO with user-downloadable datalogger	1,375.00
Confined Space Kit - 2-gas: %LEL, O2	1,195.00
Confined Space Kit - 2-gas: %LEL, O2 with user-downloadable datalogger	1,295.00

Confined Space Kits with Manual Aspirator Pump

Confined Space Kit - 4-gas: %LEL, O2, CO, H2S	1,195.00
Confined Space Kit - 4-gas: %LEL, O2, CO, H2S with user-downloadable datalogger	1,295.00
Confined Space Kit - 3-gas: %LEL, O2, H2S	1,125.00
Confined Space Kit - 3-gas: %LEL, O2, H2S with user-downloadable datalogger	1,225.00
Confined Space Kit - 3-gas: %LEL, O2, CO	1,125.00
Confined Space Kit - 3-gas: %LEL, O2, CO with user-downloadable datalogger	1,225.00
Confined Space Kit - 2-gas: %LEL, O2	1,045.00
Confined Space Kit - 2-gas: %LEL, O2 with user-downloadable datalogger	1,145.00

AC Charger Options (-xx) for GasAlertMicro Confined Space Kits

For UK version with 220 VAC charger	No Charge
For European version with 220 VAC charger	No Charge
For Australian version with 220 VAC charger	No Charge
For New Zealand version with 220 VAC charger	No Charge
For Other Regions version with 220 VAC charger with UK plug	No Charge
For Other Regions version with 220 VAC charger with 2-pin EU plug	No Charge
For GasAlertMicro Confined Space Kits shipped without charger or batteries	Deduct: 25.00

Accessories and Options - Compatible with GasAlertMicro

Nylon case	30.00
Leather case with neck strap	25.00
Belt Holster	15.00
Belt Holster for GasAlertMicro and Sampler	30.00
Chest Harness	45.00
Extension Strap	25.00
Kit of 4 AA NiMH rechargeable batteries and 110 VAC 4-port charger, American plug	40.00
SMART Charger - 10-port, 110 VAC, American plug type	65.00
GA MicroBatt Charger Kit with Battery Pack (GAMIC-BAT-03)	140.00
GA MicroBatt Charger (cradle charger)	100.00
Add suffix: (-UK) United Kingdom, (-EU) European, (-AU) Australian	No Charge

Order No. Description List Price USA \$

GASALERTMICRO MULTI-GAS DETECTORS

GA MicroBatt battery pack, yellow, for cradle charger (GAMIC-C03)	50.00
Add suffix:(-UK) United Kingdom, (-EU) European, (-AU) Australian	
Vehicle Charger - 4-port, 12 volt with 4 AA NiMH rechargeable batteries	40.00
Rechargeable AA NiMH batteries, 1800 mAh, kit of 4 (not applicable for Europe)	20.00
Rechargeable AA NiMH batteries, 1600 mAh, kit of 4	20.00
SamplerPak, motorized sampling pump portable kit	285.00
SamplerPak, motorized sampling pump portable kit (European version)	285.00
SamplerPak, motorized sampling pump portable kit (UK version)	285.00
Manual Aspirator Pump with 10 ft./3 m hose	75.00
Manual Aspirator Pump with 1 ft./0.3 m probe	79.00
Collapsible Sample Probe, 3.3 ft./1 m for Sampler	65.00
Telescopic Sample Probe 6.5 ft./2 m	120.00
MMC USB Reader (USB Port) with software for user-downloadable datalogger (-DL2)	55.00
FlashPath MMC Card Reader (3 1/2" Floppy Disk Adapter)	119.00
GasAlert series training video CD ROM	5.00

Calibration Equipment - for 4 and 3-gas Detectors and MicroDock

Note: MicroDock requires a Demand Flow Regulator and is compatible with quad gases below.

"BUMP" Alarm Gas Aerosol (CH4-2.5%, O2-10%, H2S-40 ppm, CO-200 ppm).....	11 liter 40.00
Quad Gas Cylinder (CH4-2.5%, O2-18.0%, H2S-25 ppm, CO-100 ppm, bal. N2)	34 liter 170.00
Quad Gas Cylinder (CH4-2.5%, O2-18.0%, H2S-25 ppm, CO-100 ppm, bal. N2)	58 liter 227.00
Quad Calibration Kit with regulator, quad gas cylinder (CG-Q34-4), hose and	34 liter 438.00
Quad Calibration Kit with regulator, quad gas cylinder (CG-Q58-4), hose and	58 liter 495.00
Sulfur Dioxide - 10 ppm, balance N2	34 liter 140.00
Calibration Gas Regulator (0.5 LPM)	175.00
Demand Flow Regulator (MicroDock)	325.00

Replacements and Spares - Compatible with GasAlertMicro

TWIN TOX Sensor - Carbon Monoxide (CO) and Hydrogen Sulfide (H2S)	295.00
Oxygen (O2) 2 year Sensor	135.00
Combustible (0-100% LEL) Sensor (standard)	175.00
Advisory: detectors are equipped on a standard basis with SR-W04 combustibile sensors. The SR-W04 combustibile sensor replaces the older D4-RW90 sensor. The D4-RW90 sensor included a heavy duty silicone filter that is not necessary for most monitoring applications. The SR-W04-SF sensor is a special application combustibile sensor that includes a silicone filter. The SR-W04-SF should only be specified when the environment to be monitored includes known sources of silicone or silicon containing vapors. The SR-W04-SF silicone filter equipped sensor should not be used when monitoring diesel, kerosene, jet fuel or other heavy hydrocarbon vapors with flashpoint temperatures above 38 C (100 F)	
Combustible (0-100% LEL) Sensor (with heavy duty silicone filter)	195.00
Hydrogen Sulfide (H2S) Sensor (-3H units only)	210.00
Sulfur Dioxide (SO2) Sensor	297.00
Dummy Sensor (GAMIC-2 versions)	25.00
MultiMediaCard (MMC) (> 4 months of data) for user-downloadable datalogger (-DL2)	50.00
MultiMediaCard (MMC) (> 8 months of data) for user-downloadable datalogger (-DL2).....	80.00
Test Cap (standard)	10.00
Test Cap (single barb) for use with manual aspirator pump	10.00

Order No.	Description	List Price USA \$
------------------	--------------------	--------------------------

GASALERTMICRO MULTI-GAS DETECTORS

Alligator Clip (stainless steel)	14.00
Triple sensor filter replacements, kit of 2	15.00
Replacement Tygon Tube for Sampling Hoses	2.50 per foot
Carrying case with foam for GasAlertMicro Confined Space Kits	105.00
GasAlertMicro Manual (printed) - English	7.00
GasAlertMicro and Sampler CD-ROM- Multi-language Instructions and video	5.00
<i>Accessories and Spares - Compatible with SamplerPak</i>	
Belt Holster for Sampler	20.00
Belt Holster for GasAlertMicro and Sampler	30.00
Sampler Probe Accessory (maximum 8 ft./ 2.4 m)	2.50 per foot
Replacement Sampler Pump Filters (white), kit 5	10.00
Replacement Airstone Water/Particulate Filter for Sampling Hoses	18.00
Replacement Tygon Tube for Sampling Hoses	2.50 per foot
Replacement Short Sample Tube (4.65 in./11.8 cm) with barbed fitting	12.00
Replacement Medium Sample Tube (10.25 in./26 cm) with barbed fitting	15.00
Replacement Motorized sampling pump for Sampler	250.00
The Sampler- replacement motorized sampling pump-ATEX Approved	250.00
Replacement Pump Gaskets for Sampler, kit of 5	10.00
Replacement Barbed Plastic Fitting for Sampler/Instrument Hose, kit of 5	10.00
Replacement Coiled Connector Tubing for Sampler	10.00
Replacement screws, kit of 10	4.00
Carrying case with foam for SamplerPak	45.00

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

MICRODOCK-AUTOMATED TEST AND CALIBRATION SYSTEM FOR GASALERTMICRO

MicroDock is expandable up to 10 instrument docking modules with a two year warranty

Basic System

The Basic System comes complete with: base station, one installed GasAlertMicro docking module, 110 VAC line power adapter, installed 32 MB MultiMediaCard, Excel Datalog Manager software, USB connector cable, fresh air inlet filter, four C-cell alkaline batteries, two 2 ft./0.6 m calibration gas hoses, two gas cylinder inlet fittings and instructions.

MicroDock Basic System - 1 Docking Module	1,995.00
GasAlertMicro Docking Module	500.00

Portable System Kit

Portable System Kits include: the basic system with one or more docking modules plus quad calibration gas and a demand flow regulator, all in a rugged carrying case.

Portable System Kit - 1 Docking Module, 34 L calibration gas (hard sided carrying case).....	2,595.00
Portable System Kit - 1 Docking Module, 58 L calibration gas (heavy duty waterproof .case).....	3,195.00
Portable System Kit - 2 Docking Modules, 58 L calibration gas (heavy duty waterproof case).....	3,595.00
Portable System Kit - 3 Docking Modules, 58 L calibration gas (heavy duty waterproof case).....	3,995.00

Accessories and Spares

Compatible with MicroDock

Replacement Inlet filter for the MicroDock	5.00
Carrying Case, Portable MicroDock-3 system	350.00
Demand Flow Regulator (MicroDock)	325.00
Demand Flow Regulator for refillable cylinders, CGA connector	350.00
FlashPath MMC Card Reader (3 1/2" Floppy Disk Adapter)	119.00
MMC USB Reader (USB Port) with software for user-downloadable datalogger (-DL2).....	55.00
MultiMediaCard (MMC) (> 4 months of data) for user-downloadable datalogger (-DL2).....	50.00
MultiMediaCard (MMC) (> 8 months of data) for user-downloadable datalogger (-DL2).....	80.00

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

GASALERTMAX MULTI-GAS DETECTORS

GasAlertMax - Two, Three, and Four-Gas Portable Detectors - Ready for use

Complete with 110-220 VAC charger, NiMH rechargeable VersaPak battery, carrying holster, sensors, internal motorized sampling pump, 10 ft./3m sampling hose, calibration hose, filter kit and instructions. (See "AC Charger Options" below for 220 VAC chargers). Two year warranty including sensors. (User options include latching alarms and password lock)

4-gas: Combustibles (%LEL), Oxygen, Carbon Monoxide and Hydrogen Sulfide	1,095.00
3-gas: Combustibles (%LEL), Oxygen and Hydrogen Sulfide	1,025.00
2-gas: Combustibles (%LEL) and Oxygen	945.00

Datalogger Versions - Choose Black Box or User-downloadable.

BLACK BOX GasAlertMax - 4.4 Months Data Storage Standard

4-gas: %LEL, O2, CO, H2S with black box datalogger	1,295.00
3-gas: %LEL, O2, H2S with black box datalogger	1,225.00
2-gas: %LEL, O2 with black box datalogger	1,145.00

USER-DOWNLOADABLE GasAlertMax - Includes 32MB MMC Card and Free Software

4-gas: %LEL, O2, CO, H2S with user-downloadable datalogger	1,295.00
3-gas: %LEL, O2, H2S with user-downloadable datalogger	1,225.00
2-gas: %LEL, O2 with user-downloadable datalogger	1,145.00

CONFINED SPACE VAL UE KITS

Includes GasAlertMax and standard accessories plus concussion -proof boot, intake umbrella protector, additional NiMH rechargeable battery, quad calibration gas (34 L cylinder) and regulator, all in a rugged carrying case.

Confined Space Kit - 4-gas %LEL, O2, CO, H2S	1,370.00
Confined Space Kit - 4-gas %LEL, O2, CO, H2S with black box datalogger	1,570.00
Confined Space Kit - 4-gas %LEL, O2, CO, H2S with user-downloadable datalogger	1,570.00
Confined Space Kit - 3-gas %LEL, O2, H2S	1,300.00
Confined Space Kit - 3-gas %LEL, O2, H2S with black box datalogger	1,500.00
Confined Space Kit - 3-gas %LEL, O2, H2S with user-downloadable datalogger	1,500.00
Confined Space Kit - 2-gas %LEL, O2	1,220.00
Confined Space Kit - 2-gas %LEL, O2 with black box datalogger	1,420.00
Confined Space Kit - 2-gas %LEL, O2 with user-downloadable datalogger	1,420.00

AC Charger Options (-xx) for GasAlertMax and Confined Space Kits

For GasAlertMax with UK plug, 220 VAC charger	No Charge
For GasAlertMax with Continental European plug, 220 VAC charger	No Charge
For GasAlertMax with Australian version, 220 VAC charger	No Charge
For GasAlertMax with New Zealand version, 220 VAC charger	No Charge
For GasAlertMax with Other Region version kit with UK plug	No Charge
For GasAlertMax with Other Region version kit with 2-pin EU plug	No Charge
For GasAlertMax shipped without charger or batteries	Deduct: 25.00

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

GASALERTMAX MULTI-GAS DETECTORS

Accessories and Options

Concussion-proof Boot (carrying case) with alligator clip (non-conductive)	50.00
Concussion-proof Boot (carrying case) with alligator clip (high tension metal)	52.00
Concussion-proof Boot (carrying case) with neck strap	60.00
Concussion-proof Boot (carrying case) with harness	70.00
Concussion-proof Boot (carrying case) with harness and alligator clip (non-conductive).....	82.00
Concussion-proof Boot (carrying case) with neck strap and alligator clip (non-conductive).....	60.00
Wrist Strap, nylon for Concussion-proof Boot	7.00
Vehicle Charger - 2-port, 12 volt	85.00
Charger - 4-port VersaPak, 220 VAC with continental European plug	77.00
Charger - 4-port VersaPak, 220 VAC with UK plug	77.00
Sampling Hose (10 ft./3 m) for Motorized Pump with quick connect and particulate filter	55.00
For D4-HSP-10 Sampling Hose with longer hose, specify length (##) in feet	Add: 2.50 per foot
Search Probe (1 ft./0.3 m) with handle and quick connect	105.00
Search Probe (3 ft./0.9 m) with handle and quick connect	120.00
Search Probe (6 ft./1.8 m) with handle and quick connect	135.00
Telescopic Sample Probe 6.5 ft./2 m	120.00
Collapsible Sample Probe w/ handle, 3.3 ft. (1m) for GasAlertMax	50.00
MultiMediaCard (MMC) (> 4 months of data) for user-downloadable datalogger (-DL2)	50.00
MultiMediaCard (MMC) (> 8 months of data) for user-downloadable datalogger (-DL2)	80.00
FlashPath MMC Card Reader (3 1/2" Floppy Disk Adapter)	119.00
MMC USB Reader (USB Port) with software for user-downloadable datalogger (-DL2).....	55.00
Earphone	14.00
Intake Umbrella Protector	3.50
Water Trap, 6 inch/300 mm with 1/8 inch barbed connectors	66.00
Dilution Tube (dilutes gas sample with air) (1:1)	50.00
GasAlert series training video CD ROM	5.00

Calibration Equipment - for 4 and 3-gas Detectors (for 2-gas mixtures see "Calibration Equipment" section)

Quad Gas Cylinder (CH4-2.5%, O2-18.0%, H2S-25 ppm, CO-100 ppm, bal. N2).....	34 liter 170.00
Quad Gas Cylinder (CH4-2.5%, O2-18.0%, H2S-25 ppm, CO-100 ppm, bal. N2).....	58 liter 227.00
Quad Calibration Kit with regulator, quad gas cylinder (CG-Q34-4), hose and carrying case	34 liter 438.00
Quad Calibration Kit with regulator, quad gas cylinder (CG-Q58-4), hose and carrying case	58 liter 495.00
Calibration Gas Regulator (0.5 LPM)	175.00
Demand Flow Regulator	325.00
"BUMP" Alarm Gas Aerosol (CH4-2.5%, O2-10%, H2S-40 ppm, CO-200 ppm)	11 liter 40.00

GASALERTMAX MULTI-GAS DETECTORS*Replacements and Spares*

Oxygen (O2) 2 year Sensor (compatible with GAMAX3-# and GAMAX2-4 models)	135.00
Oxygen (O2) 1 year Sensor (compatible with GAMAX-4 models only)	125.00
Combustible (0-100% LEL) Sensor (standard)	175.00
Advisory: detectors are equipped on a standard basis with SR-W04 combustible sensors. The SR-W04 combustible sensor replaces the older D4-RW90 sensor. The D4-RW90 sensor included a heavy duty silicone filter that is not necessary for most monitoring applications. The SR-W04-SF sensor is a special application combustible sensor that includes a silicone filter. The SR-W04-SF should only be specified when the environment to be monitored includes known sources of silicone or silicon containing vapors. The SR-W04-SF silicone filter equipped sensor should not be used when monitoring diesel, kerosene, jet fuel or other heavy hydrocarbon vapors with flashpoint temperatures above 38 C (100 F)	
Combustible (0-100% LEL) Sensor (with heavy duty silicone filter)	195.00
Hydrogen Sulfide (H2S) Sensor (-3H units only)	210.00
Dummy Sensor (GAMIC-2 versions)	25.00
Charger - 2-port, 110 VAC	40.00
Charger - 2-port, 220 VAC; add suffix for plug type (-UK), (-EU) or (-AU)	40.00
VersaPak NiMH Rechargeable Battery	31.00
VersaPak NiCd Rechargeable Battery	24.00
Pump Filter, kit of 5	10.00
Replacement Pump	175.00
Replacement Tygon Tube for Sampling Hoses	2.50 per foot
Replacement Airstone Water/Particulate Filter for Sampling Hoses	18.00
Quick Connector Spares for Sampling Pump Hose (D4-HSP-10), kit of 2	25.00
Datalock Security Door for user-downloadable datalogger versions (-DL2), kit of 10	13.00
GasAlertMax Manual (printed) - English	7.00
GasAlertMax CD-ROM - Training Video and Multi-language Instructions	5.00

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

BW DEFENDER2 MULTI-GAS DETECTORS

BW DEFENDER2 - Two, Three and Four-Gas Portable Detectors - Ready for Use

Complete with 110-220 VAC charger, 2 NiCd rechargeable VersaPak batteries, sensors, calibration cap, calibration hose, earphone, wrist strap and instructions. (See "AC Charger Options" below for 220 VAC chargers). Two year warranty including sensors.

4-gas: Combustibles (% LEL), Oxygen, Carbon Monoxide and Hydrogen Sulfide	1,095.00
3-gas: Combustibles (% LEL), Oxygen and Hydrogen Sulfide	1,025.00
2-gas: Combustibles (% LEL) and Oxygen	945.00

Datalogger Versions - Choose User-downloadable or Black Box

USER-DOWNLOADABLE BW Defender2 - Includes 32 MB MMC Card and Free Software

4-gas: % LEL, O2, CO, H2S with user-downloadable datalogger	1,295.00
3-gas: % LEL, O2, H2S with user-downloadable datalogger	1,225.00
2-gas: % LEL, O2 with user-downloadable datalogger	1,145.00

BLACK BOX BW Defender2 - 4. 4 Months Data Storage Standard

4-gas: % LEL, O2, CO, H2S with black box datalogger	1,295.00
3-gas: % LEL, O2, H2S with black box datalogger	1,225.00
2-gas: % LEL, O2 with black box datalogger	1,145.00

CONFINED SPACE VALUE KIT

Includes BW Defender2 and standard accessories plus manual aspirator pump with 10 ft./3 m sampling hose, quad calibration gas (34 L cylinder) and regulator in a rugged carrying case.

Confined Space Kit - 4-gas: % LEL, O2, CO, H2S	1,495.00
Confined Space Kit - 4-gas: % LEL, O2, CO, H2S with user-downloadable datalogger	1,695.00
Confined Space Kit - 4-gas: % LEL, O2, CO, H2S with black box datalogger	1,695.00
Confined Space Kit - 3-gas: % LEL, O2, H2S	1,425.00
Confined Space Kit - 3-gas: % LEL, O2, H2S with user-downloadable datalogger	1,625.00
Confined Space Kit - 3-gas: % LEL, O2, CO with black box datalogger	1,625.00
Confined Space Kit - 2-gas: % LEL, O2	1,345.00
Confined Space Kit - 2-gas: % LEL, O2 with user-downloadable datalogger	1,545.00
Confined Space Kit - 2-gas: % LEL, O2 with black box datalogger	1,545.00

AC Charger Options (-xx) for BW Defender2 and Confined Space Kit

To receive BW Defender2 with UK plug 220 VAC charger	No Charge
To receive BW Defender2 with Continental European plug 220 VAC charger	No Charge
To receive BW Defender2 with Australia plug 220 VAC charger	No Charge
To receive BW Defender2 with Other Region version kit	No Charge
For BW Defender2 shipped without charger or batteries	Deduct: 25.00

Accessories and Options

Concussion-proof Boot (carrying case) with alligator clip	30.00
Concussion-proof Boot (carrying case) with neck strap	40.00
Leather Case with belt loop and neck strap	80.00
Vehicle Charger - 2-port, 12 volt	85.00
Charger - 4-port VersaPak, 220 VAC with continental European plug	77.00
Charger - 4-port VersaPak, 220 VAC with UK plug	77.00

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

BW DEFENDER2 MULTI-GAS DETECTORS

SamplerPak, motorized sampling pump portable kit	285.00
SamplerPak, motorized sampling pump portable kit (European version)	285.00
SamplerPak, motorized sampling pump portable kit (UK version)	285.00
Belt Holster for Sampler	20.00
Manual Aspirator Pump with 1 ft./0.3 m probe	79.00
Manual Aspirator Pump with 10 ft./3 m hose	75.00
Sampling Hose (10 ft./3 m) for Manual Aspirator Pump	75.00
For D4-HAS-10 Sampling Hose with longer hose, specify length (##) in feet	2.50 .per foot
MultiMediaCard (MMC) (> 4 months of data) for user-downloadable datalogger (-DL2)	50.00
MultiMediaCard (MMC) (> 8 months of data) for user-downloadable datalogger (-DL2)	80.00
FlashPath MMC Card Reader (3 1/2" Floppy Disk Adapter)	119.00
MMC USB Reader (USB Port) with software for user-downloadable datalogger (-DL2)	55.00
Datalock Security Door for user-downloadable datalogger versions (-DL2), kit of 10	13.00
For a complete list of Sampler accessories, options and spares, see end of GasAlertMicro section.	

Calibration Equipment - for 4 and 3-gas Detectors (for 2-gas mixtures, see "Calibration Equipment" section)

Quad Calibration Kit with regulator, quad gas cylinder (CG-Q58), hose and carrying case	58 liter 495.00
Quad Gas Cylinder (CH4-2.5%, O2-20.9%, H2S-25 ppm, CO-100 ppm, bal. N2)	58 liter 227.00
Quad Calibration Kit with regulator, quad gas cylinder (CG-Q34), hose and carrying case	34 liter 438.00
Quad Gas Cylinder (CH4-2.5%, O2-20.9%, H2S-25 ppm, CO-100 ppm, bal. N2)	34 liter 170.00
Calibration Gas Regulator (0.5 LPM)	175.00
"BUMP" Alarm Gas Aerosol (CH4-2.5%, O2-10%, H2S-40 ppm, CO-200 ppm)	11 liter 40.00

Replacements and Spares

TWIN TOX Sensor - Carbon Monoxide (CO) and Hydrogen Sulfide (H2S)	295.00
Oxygen (O2) Sensor, 2 year	135.00
Oxygen (O2) Sensor, 1 year (compatible with D4-2000 and D2-2000 models only)	125.00
Combustible (0-100% LEL) Sensor (standard)	175.00
Advisory: detectors are equipped on a standard basis with SR-W04 combustible sensors. The SR-W04 combustible sensor replaces the older D4-RW90 sensor. The D4-RW90 sensor included a heavy duty silicone filter that is not necessary for most monitoring applications. The SR-W04-SF sensor is a special application combustible sensor that includes a silicone filter. The SR-W04-SF should only be specified when the environment to be monitored includes known sources of silicone or silicon containing vapors. The SR-W04-SF silicone filter equipped sensor should not be used when monitoring diesel, kerosene, jet fuel or other heavy hydrocarbon vapors with flashpoint temperatures above 38 C (100 F)	
Combustible (0-100% LEL) Sensor (with heavy duty silicone filter)	195.00
Dummy Sensor (GAMIC-2 versions)	25.00
Dummy Sensor (compatible D2-2002 models only)	18.00
Sensor replacement screens (kit of 10)	8.00
In-line Water Trap Replacement for Aspirator Pump	9.00
Earphone	14.00
Calibration Cap	15.00
Wrist Strap	7.00
Charger - 2-port, 110 VAC	40.00

Order No.	Description	List Price USA \$
------------------	--------------------	--------------------------

BW DEFENDER2 MULTI-GAS DETECTORS

Charger - 2-port, 220 VAC; specify plug type with suffix (-UK), (-EU) or (-AU)	40.00
VersaPak NiMH Rechargeable Battery	31.00
VersaPak NiCd Rechargeable Battery	24.00
Replacement Probe (1ft./0.3m) with connector for D4-PROB1	15.00
BW Defender2 Manual (printed) - English	7.00

HVAC TEST INSTRUMENTS**GasProbe IAQ - Indoor Air Quality Monitor**

Monitor comes complete and ready for use with sensor(s), rechargeable lithium ion battery, plug-in AC power adaptor and instructions. One year warranty including sensors.

GasProbe IAQ (T°, RH, CO and CO2)	1,195.00
GasProbe IAQ (T°, RH and CO2)	995.00
GasProbe IAQ (CO and CO2)	995.00
GasProbe IAQ (CO2)	795.00

Datalogger Versions - Includes standard graphing software

GasProbe IAQ (T°, RH, CO and CO2) with datalogger	1,390.00
GasProbe IAQ (T°, RH and CO2) with datalogger	1,190.00
GasProbe IAQ (CO and CO2) with datalogger	1,190.00
GasProbe IAQ (CO2) with datalogger	990.00

Hygenist Kits- includes power adapter, LI-Ion battery, deluxe datalogging software and hard sided carrying case

Gas Probe IAQ (T°, RH, CO and CO2) including hygenist kit	1,685.00
Gas Probe IAQ (T°, RH and CO2) including hygenist kit	1,485.00
Gas Probe IAQ (CO and CO2) including hygenist kit	1,485.00
Gas Probe IAQ (CO2) including hygenist kit	1,285.00

Accessories - Compatible with GasProbe IAQ

Deluxe Datalogging Software	200.00
Desktop Battery Charger	65.00
USB/IRDA Interface Cable	225.00
Hardsided Carrying Case	95.00
Calibration Gas Regulator (0.5 LPM)	175.00
Calibration gas, 34 litre cylinder, CO/CO2 blend, balance nitrogen	120.00

Replacements and Spares

Carbon Monoxide (CO) Sensor	220.00
Carbon Dioxide (CO2) Sensor	200.00
AC Power Adapter	35.00
Battery, rechargeable lithium ion	65.00

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

HVAC TEST INSTRUMENTS

GasProbe CO - Carbon Monoxide Meter

Detector comes complete and ready for use with sensor and instructions. One year warranty including sensor.

Handheld Carbon Monoxide Meter	220.00
<i>Accessories and Spares - Compatible with GasProbe CO</i>	
Soft-sided Carrying Case	30.00
SamplerPak, motorized sampling pump portable kit	285.00
SamplerPak, motorized sampling pump portable kit (European version)	285.00
SamplerPak, motorized sampling pump portable kit (UK version)	285.00
Belt Holster for Sampler	20.00
Manual Aspirator Kit	79.00
Carbon Monoxide (CO) Sensor	99.00
GasProbe CO Manual (printed) - English	2.50

NOTE: For a complete list of Sampler accessories, options and spares, see end of GasAlertMicro section.

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

HVAC TEST INSTRUMENTS

GasProbe - Combustion Flue Gas Analyzer

5-in-1 handheld instrument: combustion gas analyzer, gas appliance tester, ambient air monitor, pressure differential meter and temperature thermometer. One year warranty including sensors.

Standard GasProbe Kit 995.00

Includes GasProbe combustion gas analyzer, flue gas temperature and sample probe, differential pressure hose, 2-port 110 VAC charger, 2 rechargeable NiCd VersaPak batteries and pump filters (kit of 5), all in a hard-sided carrying case.

Deluxe GasProbe Kit 1,395.00

Includes GasProbe combustion gas analyzer and standard accessories plus, infrared handheld printer, surface/air/water probe and a concussion-proof boot.

AC Charger Options (-xx) for GasProbe

To receive GasProbe with UK plug, 220 VAC charger No Charge

To receive GasProbe with Continental European plug, 220 VAC charger No Charge

To receive GasProbe with Australia plug, 220 VAC charger No Charge

To receive GasProbe with Other Region versions No Charge

For GasProbe shipped without charger or batteries Deduct: 25.00

Accessories and Spares - Compatible with GasProbe

Infrared Handheld Printer 300.00

Vehicle Charger - 2-port, 12 volt 85.00

Concussion-proof Boot (carrying case) with alligator clip (non-conductive) 50.00

For additional boots and straps, see GasAlertMax Accessories and Options

Oxygen (O2) 2 year Sensor 135.00

Carbon Monoxide (CO) Sensor 220.00

Replacement Pump 175.00

Pump Filter, kit of 5 10.00

Sample and Temperature Probe Filter Element Replacement 15.00

Sample and Temperature Probe 125.00

Surface Temperature Probe 120.00

Differential Pressure Hose 10.00

Charger - 2-port, 110 VAC 40.00

Charger - 2-port, 220 VAC; add suffix for plug type (-UK), (-EU) or (-AU) 40.00

Printer Paper replacement for GPR-PRINTER, 3 rolls 19.00

VersaPak NiCd Rechargeable Battery 24.00

VersaPak NiMH Rechargeable Battery 31.00

GasProbe Manual (printed) - English 7.00

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

CALIBRATION EQUIPMENT

Additional calibration equipment is available. Consult BW Technologies for items not listed.

CALIBRATION KITS - Includes Carrying Case, Regulator and Calibration Hose. For Four

(4) and Three (3) Gas Detectors

Quad Calibration Kit with regulator, quad gas cylinder (CG-Q34-4), hose and case	34liter 438.00
Quad Calibration Kit with regulator, quad gas cylinder (CG-Q58-4), hose and case	34liter 495.00
Quad Calibration Kit with regulator, quad gas cylinder (CG-Q34), hose and case.....	34liter 438.00
Quad Calibration Kit with regulator, quad gas cylinder (CG-Q58), hose and case.....	34;iter 495.00

For Two (2) Gas Detectors

Dual Calibration Kit with regulator, two gas cylinder (CG-T34), hose and case	34liter 390.00
---	----------------

CALIBRATION GAS CYLINDERS

Note: MicroDock is compatible with CG-Q34-4 and CG-Q58-4.

For Four (4) and Three (3) Gas Detectors

Quad Gas Cylinder (CH4-2.5%, O2-18.0%, H2S-25 ppm, CO-100 ppm, bal. N2).....	34 liter 170.00
Quad Gas Cylinder (CH4-2.5%, O2-18.0%, H2S-25 ppm, CO-100 ppm, bal. N2).....	58 liter 227.00
Quad Gas Cylinder (CH4-1.25% (50%LEL Pentane equiv.) O2-18.0%, H2S-25	34 liter, CO-100 ppm 170.00
Quad Gas Cylinder (CH4-1.25% (50%LEL Pentane equiv.) O2-18.0%, H2S-25	58 liter, CO-100 ppm 227.00
Quad Gas Cylinder (CH4-2.5%, O2-20.9%, H2S-25 ppm, CO-100 ppm, bal. N2).....	34 liter 170.00
Quad Gas Cylinder (CH4-2.5%, O2-20.9%, H2S-25 ppm, CO-100 ppm, bal. N2).....	58 liter 227.00
Quad Gas Cylinder (CH4-2.2%, O2-20.9%, H2S-25 ppm, CO-100 ppm, bal. N2).....	34 liter 170.00
Quad Gas Cylinder (CH4-2.2%, O2-20.9%, H2S-25 ppm, CO-100 ppm, bal. N2).....	58 liter 227.00
Quad Gas Cylinder (C3H8 1.1%, O2-20.9%, H2S-25 ppm, CO-100 ppm, bal	34 liter 170.00
Quad Gas Cylinder (C3H8 1.1%, O2-20.9%, H2S-25 ppm, CO-100 ppm, bal	58 liter 227.00

For Two (2) Gas Detectors

Two Gas Cylinder 50 %LEL (CH4 - 2.5%) O2-20.9%, bal. N2 (use REG2-0.5).....	34 liter 125.00
---	-----------------

For Single (1) Gas Detectors

Ammonia - 50 ppm, balance N2	58 liter 375.00
Carbon Dioxide - 600 ppm, balance N2	17 liter 38.00
Carbon Dioxide - 600 ppm, balance N2	103 liter 225.00
Carbon Monoxide - 100 ppm, balance N2	103 liter 125.00
Chlorine - 5 ppm, balance N2 (use REG-1.0)	58 liter 315.00
Hydrogen - 100 ppm, balance air	103 liter 145.00
Hydrogen Chloride - 10 ppm, balance N2	58 liter 315.00
Hydrogen Cyanide - 10 ppm balance N2	58 liter 375.00
Hydrogen Sulfide - 25 ppm, balance N2	34 liter 135.00
Hydrogen Sulfide - 25 ppm, balance N2	58 liter 145.00
Nitrogen Dioxide - 10 ppm, balance air (use REG-1.0)	58 liter 360.00
Nitric Oxide - 50 ppm, balance air	58 liter 375.00
Phosphine - 1 ppm, balance N2	34 liter 395.00
Phosphine - 1 ppm, balance N2	58 liter 575.00
Sulfur Dioxide - 10 ppm, balance N2	34 liter 140.00

Order No.	Description	List Price USA \$
-----------	-------------	-------------------

CALIBRATION EQUIPMENT

Sulfur Dioxide - 20 ppm, balance N2	34 liter	140.00
Sulfur Dioxide - 20 ppm, balance N2	58 liter	145.00
Sulfur Dioxide - 25 ppm, balance N2	58 liter	145.00
Methane - 2.5% (50% LEL), balance air (use REG2-0.5)	34 liter	40.00
Methane - 2.5% (50% LEL), balance air	103 liter	150.00
Propane - 1.0% (50% LEL), balance air (use REG2-0.5)	34 liter	40.00
Pentane - 0.75% (50% LEL), balance air (use REG2-0.5)	34 liter	45.00
Nitrogen Gas (100% N2) for use with Test Station	103 liter	150.00
Zero Air THC (use REG2-0.5)	34 liter	40.00
Zero Air THC	103 liter	125.00

TEST GASES

Note: Test gases are used for qualitative functional testing of sensors and alarms only. They cannot be used as calibration gases

"BUMP" Alarm Test Gas Aerosol (CO-100 ppm, balance Nitrogen)	11 liter	50.00
"BUMP" Alarm Test Gas Aerosol (H2S-25 ppm, balance Nitrogen)	11 liter	50.00
"BUMP" Alarm Gas Aerosol (CH4-2.5%, O2-10%, H2S-40 ppm, CO-200 ppm)	11 liter	40.00

REGULATORS AND ACCESSORIES

NOTE: REG-0.5 calibration gas regulator is compatible unless otherwise specified. MicroDock requires a REG-DF-1. Aerosols do not require regulators.

Demand Flow Regulator	325.00
Demand Flow Regulator for refillable cylinders, CGA connector	350.00
Calibration Gas Regulator (0.5 LPM)	175.00
Calibration Gas Regulator (1.0 LPM)	180.00
Calibration Gas Regulator (0.5 LPM)	175.00
Recycle Kit for Calibration Gas Cylinders	125.00
Carrying Case	35.00
Tygon Calibration Hose (3 ft./0.9 m)	6.00
Teflon Calibration Hose (0.9 m/3 ft.) with flared ends	14.00

Service and Training

Service Rates:

Factory In-House Labor:

\$75.00 per instrument

Training, Installation, and Field Service:

Standard Labor Rate

\$500.00 per day - for each eight hour period (including travel time), plus expenses.

One day minimum. After first full day, \$250.00 per four hour period plus expenses thereafter.

Weekends and Holidays

\$625.00 per day (including travel time), plus expenses. One day minimum.

Expenses:

Transportation (airfare or mileage) plus \$250.00 per day.

Terms and Conditions (General):

1. Payment terms are net 30 days.
2. U.S.A. shipments Prices are F.O.B. Arlington, TX.
3. International shipments Prices are F.O.B. Calgary, AB, Canada.
4. Minimum billing per order is \$50.00.
5. Claims of shortages or shipping errors must be made within 30 days of shipment, otherwise the packing list will be accepted as correct.
6. Prices will normally remain in effect until the next price list is issued. However, all prices are subject to change without notice.

Factory Service Centers

USA

340 Lakeview Circle
Bolingbrook, IL 60440
USA

1-877-580-3728 or
630-563-4057
Fax: 630-563-4056

www.JJSTECH.com
Email
info@JJSTECH.com